


CALAND KANAAL

**MOORING PLAN JETTY 100
? DWT VESSEL**

BOLLARD	BOLLARD CAPACITY	TYPE LINE
100-B1	50 ton	BOWLINE
100-B2	50 ton	SPRINGLINE
100-B3	50 ton	SPRINGLINE
100-B4	50 ton	STERNLINE
LOWER BOLLARDS	30 ton	




4e PETROLEUMHAVEN

ST.101

ST.102

- NOTES:**
- MAX. 1 LINE PER QUICK RELEASE HOOK
 - NO MORE THAN 2 LINES PER BOLLARD
 - MINIMUM MOORING REQUIREMENTS:
 - SHIPS < 10,000 DWT: 2 HEAD- AND STERNLINES, 2 SPRINGLINES FWD AND AFT
 - SHIPS < 25,000 DWT: 3 HEAD- AND STERNLINES, 2 SPRINGLINES FWD AND AFT
 - SHIPS > 25,000 DWT: 4 HEAD- AND STERNLINES, 2 SPRINGLINES FWD AND AFT



REV.	DATE	DESCRIPTION	BY	CHKD.
A	01-08-2016	OPNIEUW GETEKEND	DM5	746
		for symbols and identification systems	PC -	date FROM
		OP 312010 GDN, instrument	plant	sheet NUMBER
		OP 312010 GDN, instrument	unit	SCALE
		OP 312010 GDN, instrument	unit RELI3	size: TS
			REG. NR.	REG. NR.

**MOORING PLAN JETTY 100
FOR VESSELS OF 110m LENGTH**

reference	drawing	R-0535235	SHEET 1	of 1	REVISE
	drawing		R 0866319		A
	drawing				

Shell Nederland Raff./Chemie b.v.

